

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3750	(385/14).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:10
L2	4	((("6565267") or ("6586200")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:23
L3	5314	(laser near3 module\$1).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:48
L4	462	(main adj signal) same (auxiliary adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:24
L5	7	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:24
L7	25773	co adj axial	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:26
L8	9	3 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:28
L9	343721	circuit adj board\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:28
L10	11339	mother adj board\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:28
L11	9975	(laser near3 module\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:29
L12	165	11 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:29
L13	4	11 with 10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:29

L14	165	12 or 13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:29
L15	45	("4731772" "4757197" "4789977" "4847848" "4894815" "5062098").PN. OR ("5136152").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 09:43
L16	107	signal with lead\$1 with different with length\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 09:44
L17	0	3 and 16	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 09:44
L18	2424	lead\$1 with different with length\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 09:51
L19	0	3 and 18	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 09:44
L20	5401	lead\$1 with end\$1 with board\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 09:44
L21	9	3 and 20	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 09:44
L22	59169	(laser near3 device\$1).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:49
L23	0	4 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/07 09:49
L24	12	laser\$1 with 18	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 09:52
L25	27	laser\$1 with 20	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 09:52
L26	39	24 or 25	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:23
L27	1	"6038203".pn. and insulat\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:23
L28	65133	insulat\$5 with lead\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:23

L29	1	27 and 28	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:26
L30	1115	lead\$1 with encapsulat\$4 with insulat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:30
L31	4	30 same (laser)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:29
L32	10179	lead\$1 with encapsulat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:30
L33	45	32 with (laser)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:30
L34	23	32 with (photodiode\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:31
L35	64	33 or 34	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:45
L36	547	board\$1 with lead\$1 with circuit\$1 with encapsulat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:45
L37	0	board\$1 with lead\$1 with circuit\$1 with encapsulat\$4 with laser	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:45
L38	0	(board\$1 with lead\$1 with circuit\$1 with encapsulat\$4) same laser	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:46
L39	1	(board\$1 with lead\$1 with circuit\$1 with encapsulat\$4) and laser.ti,ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:46
L40	48	(board adj. circuit) with encapsulat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/07 10:47